


# FOUR PROCESSES

## 厂房实景



# 03

## 车架全自动焊接 翻转平台

全自动焊接机器人  
搭载全自动翻转平台  
车架焊接强度更高、一致性更好

### FRAME AUTOMATIC WELDING FLIPPING PLATFORM

Fully automatic welding robots  
equipped with automatic flipping  
platforms. Higher strength and better  
consistency for frame welding.

## 城市休闲

## U1



产品参数 · Product Parameters · Параметры изделия

**Overall Dimension(L\*W\*H)**  
2270\*1040\*1720mm 650W Quiet Differential Motor 15MOS

**Spring-over-Hydraulic Shock Absorber**  
φ31

<b>Max Speed</b> 35Km/h	<b>Options</b> Disc brake, Alloy rim
----------------------------	---

<b>Rear Axle</b> Split	<b>Range</b> 60-80km
---------------------------	-------------------------

<b>Drum brakes</b> F/φ110.R/φ130	<b>Tires/Wheels</b> F/300-10, R/300-10
-------------------------------------	---

<b>Battery</b> 60V32Ah	<b>Loading Qty(SKD)</b> 75units/40HQ
---------------------------	---



## 城市休闲

## U2



产品参数 · Product Parameters · Параметры изделия

**Overall Dimension(L\*W\*H)**  
2140\*930\*1280mm 500W Quiet Differential Motor 12MOS

**Spring-over-Hydraulic Shock Absorber**  
φ31

<b>Max Speed</b> 28Km/h	<b>Options</b> Disc brake, Alloy rim
----------------------------	---

<b>Rear Axle</b> Split	<b>Range</b> 80-100km
---------------------------	--------------------------

<b>Drum brakes</b> F/φ110.R/φ130	<b>Tires/Wheels</b> F/300-10, R/300-10
-------------------------------------	---

<b>Battery</b> 60V32Ah	<b>Loading Qty(SKD)</b> 90units/40HQ
---------------------------	---



星豆 X1

产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
900\*700mm

电控系统 Electronic Control System/ЭСУ  
650W/800W, 48V/60V

刹车系统 Brake System/Тормозная система  
Disc/drum, Drum/drum

轮胎 Tyre&Rim/ Шина  
F/R300-12, Alloy/Steel rim F/R:350-12, Alloy/Steel rim

减震 Suspension/Амортизационная система  
F/φ31

电池及续航 Battery&Range  
48/60V-32Ah lead acid battery

装柜量 Loading capacity/грузоподъёмность  
CKD 110PCS/40HQ



星光 X2

产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
1100\*850/1200\*900mm

电控系统 Electronic Control System/ЭСУ  
800W/1000W, 48V/60V

刹车系统 Brake System/Тормозная система  
Disc/drum, Drum/drum

轮胎 Tyre&Rim/ Шина  
F/R300-12, Alloy/Steel rim F/R:350-12, Alloy/Steel rim

减震 Suspension/Амортизационная система  
F/φ31

电池 Battery  
48/60V-32/45Ah lead acid battery

装柜量 Loading capacity/грузоподъёмность  
CKD 100PCS/40HQ



## 星光-H1

## X2-H1

产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1100\*850/1200\*900mm

**电控系统 Electronic Control System/ЭСУ**  
800W/1000W, 48V/60V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/R300-12, Alloy/Steel rim F/R:350-12, Alloy/Steel rim

**减震 Suspension/Амортизационная система**  
F/φ31

**电池 Battery**  
48/60V-32/45Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 80PCS/40HQ



## 星光-H2

## X2-H2

产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1100\*850/1200\*900mm

**电控系统 Electronic Control System/ЭСУ**  
800W/1000W, 48V/60V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/R300-12, Alloy/Steel rim F/R:350-12, Alloy/Steel rim

**减震 Suspension/Амортизационная система**  
F/φ31

**电池 Battery**  
48/60V-32/45Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 80PCS/40HQ



星途 X3

产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
1100\*850/1200\*900mm

电控系统 Electronic Control System/ЭСУ  
800W/1000W, 48V/60V

刹车系统 Brake System/Тормозная система  
Disc/drum, Drum/drum

轮胎 Tyre&Rim/ Шина  
F/R300-12, Alloy/Steel rim F/R:350-12, Alloy/Steel rim

减震 Suspension/Амортизационная система  
F/φ31

电池 Battery  
48/60V-32/45Ah lead acid battery

装柜量 Loading capacity/грузоподъёмность  
CKD 90PCS/40HQ



星途 H1 X3-H1

产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
1100\*850/1200\*900mm

电控系统 Electronic Control System/ЭСУ  
800W/1000W, 48V/60V

刹车系统 Brake System/Тормозная система  
Disc/drum, Drum/drum

轮胎 Tyre&Rim/ Шина  
F/R300-12, Alloy/Steel rim F/R:350-12, Alloy/Steel rim

减震 Suspension/Амортизационная система  
F/φ31

电池 Battery  
48/60V-32/45Ah lead acid battery

装柜量 Loading capacity/грузоподъёмность  
CKD 80PCS/40HQ





星途-H2 X3-H2

产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
1200\*900mm

电控系统 Electronic Control System/ЭСУ  
800W/1000W, 48V/60V

刹车系统 Brake System/Тормозная система  
Disc/drum, Drum/drum

轮胎 Tyre&Rim/ Шина  
F/R 300-12,Alloy/Steel rim F/R 350-12,Alloy/Steel rim

减震 Suspension/Амортизационная система  
F/φ31

电池 Battery  
48/60V-32/45Ah lead acid battery

装柜量 Loading capacity/грузоподъёмность  
CKD 80PCS/40HQ



星河 X4

产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
1100\*850mm

电控系统 Electronic Control System/ЭСУ  
800W/1000W, 48V/60V

刹车系统 Brake System/Тормозная система  
Disc/drum, Drum/drum

轮胎 Tyre&Rim/ Шина  
F/R300-12, Alloy/Steel rim F/R:350-12, Alloy/Steel rim

减震 Suspension/Амортизационная система  
F/φ31

电池 Battery  
48/60V-32/45Ah lead acid battery

装柜量 Loading capacity/грузоподъёмность  
CKD 90PCS/40HQ



## 果园车150/160/180 **G7**



### 产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1500\*1000/1600\*1100/1700\*1200mm

**电控系统 Electronic Control System/ЭСУ**  
1000W/1200W/1500W, 48V/60V

**刹车系统 Brake System/Тормозная система**  
Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/R400-12,Steel rim

**减震 Suspension/Амортизационная система**  
F/φ37 out spring shock absorber

**电池 Battery**  
48/60V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 60-70PCS/40HQ



## 极速130/150/160 **E6 130/150/160**



### 产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1300\*950/1500\*1000/1600\*1100mm

**电控系统 Electronic Control System/ЭСУ**  
800W/1000W/1200W, 48V/60V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/375-12.R/400-12,Steel rim  
F/R400-12 & Steel rim, F/400-12, R/450-12 &Steel rim

**减震 Suspension/Амортизационная система**  
F/φ31, F/φ37 out spring shock absorber

**电池 Battery**  
48/60V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 60-90PCS/40HQ



**极核160 F7 160**



产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1600\*1100mm

**电控系统 Electronic Control System/ЭСУ**  
1200W/1500W, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/R400-12 & Steel rim

**减震 Suspension/Амортизационная система**  
F/φ37 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 46PCS/40HQ



**极核自卸160 F8 160D**



产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1600\*1100mm

**电控系统 Electronic Control System/ЭСУ**  
1200W/1500W, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Disc/drum,Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/375-12.R/400-12,Steel rim F/R400-12 & Steel rim

**减震 Suspension/Амортизационная система**  
F/φ37 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 46PCS/40HQ



## 极速W 160/180 EW



产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**

1600\*1100/1800\*1300mm

**电控系统 Electronic Control System/ЭСУ**

1200W/1500W/1800W, 60V/72V

**刹车系统 Brake System/Тормозная система**

Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**

F/375-12,R/400-12,Steel rim  
F/R400-12 & Steel rim,F/400-12,R/450-12 &Steel rim

**减震 Suspension/Амортизационная система**

F/φ37,F/φ43 out spring shock absorber

**电池 Battery**

60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**

CKD 46-56PCS/40HQ



## 征霸160/180 F9



产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**

1600\*1100/1800\*1300mm

**电控系统 Electronic Control System/ЭСУ**

1200W/1500W/1800W, 60V/72V

**刹车系统 Brake System/Тормозная система**

Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**

F/R400-12 & Steel rim F/400-12, R/450-12 &Steel rim

**减震 Suspension/Амортизационная система**

F/φ37, F/φ43 out spring shock absorber

**电池 Battery**

60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**

CKD 46-38PCS/40HQ



## 奔霸160/180

F10



产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1600\*1100/1800\*1300mm

**电控系统 Electronic Control System/ЭСУ**  
1200W/1500W/1800W, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/R400-12 & Steel rim F/400-12, R/450-12 & Steel rim

**减震 Suspension/Амортизационная система**  
F/φ37, F/φ43 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 38 PCS/40HQ



## 风行 180

T9

产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1800\*1300mm

**电控系统 Electronic Control System/ЭСУ**  
1500W/1800W, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/R400-12 & Steel rim F/400-12, R/450-12 & Steel rim

**减震 Suspension/Амортизационная система**  
F/φ43 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 38 PCS/40HQ

## 霸王龙 180 自卸增程款 T7 Hybrid



### 产品参数 · Product Parameters · Параметры изделия

#### 车厢尺寸 Cargo Size / Размеры кузова

1800\*1300\*500mm

#### 电控系统 Electronic Control System/ЭСУ

1500W/1800W, 60V/72V

#### 刹车系统 Brake System/Тормозная система

Disc/drum, Drum/drum

#### 轮胎 Tyre&Rim/ Шина

F/400-12, R/450-12 &Steel rim F/450-12, R/500-12 &Steel rim

#### 减震 Suspension/Амортизационная система

F/φ43 out spring shock absorber

#### 电池 Battery

60/72V-45/58Ah lead acid battery

#### 装柜量 Loading capacity/грузоподъёмность

CKD 40 PCS/40HQ

#### 其他 Other/Другие

Hybrid,Hydraulic system,dual side beams,double leaf spring plates

## 风驰 180 自卸增程款 T9 Hybrid



### 产品参数 · Product Parameters · Параметры изделия

#### 车厢尺寸 Cargo Size / Размеры кузова

1800\*1300\*500mm

#### 电控系统 Electronic Control System/ЭСУ

1500W/1800W, 60V/72V

#### 刹车系统 Brake System/Тормозная система

Disc/drum, Drum/drum

#### 轮胎 Tyre&Rim/ Шина

F/400-12, R/450-12 &Steel rim F/450-12, R/500-12 &Steel rim

#### 减震 Suspension/Амортизационная система

F/φ43 out spring shock absorber

#### 电池 Battery

60/72V-45/58Ah lead acid battery

#### 装柜量 Loading capacity/грузоподъёмность

CKD 40PCS/40HQ

## 极速简易棚 J7 130/150/160



产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1300\*950/1500\*1000/1600\*1100mm

**电控系统 Electronic Control System/ЭСУ**  
800W/1000W/1200W, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/375-12,R/400-12, Steel rim F/R400-12 & Steel rim

**减震 Suspension/Амортизационная система**  
F/φ37 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 55-65PCS/40HQ



## 揽胜简易棚 J8 150/160



产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1500\*1000/1600\*1100mm

**电控系统 Electronic Control System/ЭСУ**  
1000W/1200W/1500W, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/375-12, R/400-12, Steel rim F/R400-12 & Steel rim

**减震 Suspension/Амортизационная система**  
F/φ37 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 55-60PCS/40HQ



## 理想棚 160/180 自卸增程款 H7 Hybrid

### 产品参数 · Product Parameters · Параметры изделия

#### 车厢尺寸 Cargo Size / Размеры кузова

1600\*1100\*500/1800\*1300\*500mm

#### 电控系统 Electronic Control System/ЭСУ

1500W/1800W, 60V/72V

#### 刹车系统 Brake System/Тормозная система

Disc/drum, Drum/drum

#### 轮胎 Tyre&Rim/ Шина

F/400-12, R/450-12 &Steel rim F/450-12, R/500-12 &Steel rim

#### 减震 Suspension/Амортизационная система

F/φ37,F/φ43 out spring shock absorber

#### 电池 Battery

60/72V-45/58Ah lead acid battery

#### 装柜量 Loading capacity/грузоподъёмность

CKD 35-40PCS/40HQ

#### 其他 Other/Другие

Hybrid,Hydraulic system,dual side beams,double leaf spring plates



## 启航 150/160/180

Q8

### 产品参数 · Product Parameters · Параметры изделия

#### 车厢尺寸 Cargo Size / Размеры кузова

1500\*1100/1600\*1100/1800\*1300mm

#### 电控系统 Electronic Control System/ЭСУ

1200W/1500W/1800W, 60V/72V

#### 刹车系统 Brake System/Тормозная система

Disc/drum, Drum/drum

#### 轮胎 Tyre&Rim/ Шина

F/400-12, R/450-12 &Steel rim F/450-12, R/500-12 &Steel rim

#### 减震 Suspension/Амортизационная система

F/φ37, F/φ43 out spring shock absorber

#### 电池 Battery

60/72V-45/58Ah lead acid battery

#### 装柜量 Loading capacity/грузоподъёмность

CKD 35-40PCS/40HQ



Beyond Where You Are.

## 领跑 160

Q9

产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1600\*1100mm

**电控系统 Electronic Control System/ЭСУ**  
1200W/1500W, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/400-12, R/450-12 & Steel rim

**减震 Suspension/Амортизационная система**  
F/φ37 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 15PCS/40HQ



## 领跑 180/200增程自卸款 Q9 PLUS Hybrid

产品参数 · Product Parameters · Параметры изделия

**车厢尺寸 Cargo Size / Размеры кузова**  
1800\*1300\*500mm/2000\*1300\*500mm

**电控系统 Electronic Control System/ЭСУ**  
1800W/128-70H, 60V/72V

**刹车系统 Brake System/Тормозная система**  
Disc/drum, Drum/drum

**轮胎 Tyre&Rim/ Шина**  
F/400-12,R/450-12 &Steel rim F/450-12.R/500-12 &Steel rim

**减震 Suspension/Амортизационная система**  
F/φ43 out spring shock absorber

**电池 Battery**  
60/72V-45/58Ah lead acid battery

**装柜量 Loading capacity/грузоподъёмность**  
CKD 15PCS/40HQ

**其他 Other/Другие**  
Hybrid,Hydraulic system,dual side beams,double leaf spring plates

嘟嘟 120 TT 120



产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
2700\*1270\*1850mm

电控系统 Electronic Control System/ЭСУ  
3000W/4000W, 60V/72V

刹车系统 Brake System/Тормозная система  
F/R Hydraulic oil drum brakes

轮胎 Tyre&Rim/ Шина  
F/ 145/70-12;R/ 155/70-12

减震 Suspension/Амортизационная система  
Swing arm suspension

电池 Battery  
60/72V-100/150 lithium iron battery

装柜量 Loading capacity/грузоподъёмность  
CKD 35PCS/40HQ

嘟嘟 130 TT 130



产品参数 · Product Parameters · Параметры изделия

车厢尺寸 Cargo Size / Размеры кузова  
2700\*1350\*1850mm

电控系统 Electronic Control System/ЭСУ  
3000W/4000W, 60V/72V

刹车系统 Brake System/Тормозная система  
F/R Hydraulic oil drum brakes

轮胎 Tyre&Rim/ Шина  
F/ 145/70-12;R/ 155/70-12

减震 Suspension/Амортизационная система  
Swing arm suspension

电池 Battery  
60/72V-100/150 lithium iron battery

装柜量 Loading capacity/грузоподъёмность  
CKD 35PCS/40HQ



YX G16A



YX 1360



YX G25DD



YX G25